SCHEDULE.

Probable quantity of clothing required for Mysore Force during the year 1913-14.

Names of articles	Number required	Names of articles	Number required
IMPERIAL SERVICE REGIMENT.		LOCAL SERVICE REGIMENT.	
Officers' full dress coats ...	6	Officers' full dress coats ...	6
Do breeches ...	15	Sowar full dress coats ...	50
Officers' khaki coats ...	50	Sowar khaki coats ...	1,000
Do breeches ...	50	Sowar boat cloak capes only ...	50
Officers' khaki serge coats ...	25	Sowar full dress coats, altered ...	25
Officers' boat cloaks ...	10		
Sowar full dress coats ...	300		
Do breeches ...	600	INFANTRY.	
Sowar khaki coats ...	1,000		
Do Patiala breeches ...	1,500	Officers' full dress coats ...	12
Do boat cloaks ...	100	Do trousers ...	24
Do serge waistbands ...	1,500	Sepoys' full dress coats ...	100
Lance flags ...	1,500	Do trousers ...	100
Haversacks khaki drill ...	500	Officers' boat cloaks ...	25
Kit bags ...	500	Officers' khaki coats ...	50
Canvas gram bags ...	300	Do trousers ...	50
Pony jhools ...	1,000	Sepoys' boat cloaks ...	100
I. S. R. flags for Rifle Range ...	25	Do khaki coats ...	1,500
Water-proof sheets ...	200	Do trousers ...	1,500
Officers' full dress trousers ...	24	Do bandages ...	1,500
Boys' khaki coats ...	25	Officers' corduroy breeches ...	20
Boys' khaki breeches ...	25	Alteration of sepoy full dress coats	50
Boys' khaki trousers ...	25	Alteration of Officers' full dress coats.	20
Officers' full dress coats, altered ...	12		
Sowar full dress coats, altered ...	25	Officers' khaki button trousers No.	50
Signal flags, of sizes ...	50	Khaki nickker Bockers No. ...	500
Sowar boat cloak capes only ..	50	Band Havildar, khaki coats ...	25
Officers' khaki corduroy breeches ...	50	Drummers' full dress coats ...	25

R. PUTTANNAH,
Personal Assistant for Chief Commandant,
Mysore State Troops.

MYSORE ELECTRICAL DEPARTMENT.

Abstract.

The attention of the public is invited to notification dated 17th June 1913, published in page 889, Part II of the *Mysore Gazette*, dated 19th June 1913, calling for tenders for collecting broken granite for Bangalore Electric Tramways.

C. F. BEAMES,
Chief Electrical Engineer to the
Government of Mysore.

CAUVERY RESERVOIR WORKS DIVISION.

Advertisement dated 23rd June 1913.

Notice is hereby given that sealed tenders will be received at the office of the Superintending Engineer, Cauvery Reservoir Division, up to 20th July 1913, for supply of fuel of the kind noted in the specification. An approximate estimate of quantities is given below. These quantities are not guaranteed. The supply of fuel shall commence from 1st September 1913 and continue till the end of June 1914.

2. The specifications and conditions may be seen at the Superintending Engineer's Office at Cauvery Reservoir on all week days between the hours of 7 to 10 A.M. and 2 to 6 P.M.